


Key points

- Fluorides are very common in the environment.
- Reviews of the literature and environmental impact assessments have found no evidence of any adverse environmental effects resulting from water fluoridation.
- Water fluoridation could be described as *environmentally friendly* since it ensures maximum utilisation of natural resources, and reduces waste.



Sources of fluoride in the environment

The element fluorine, chemically combined in the form of fluorides, is abundant in the earth's crust. Drinking water and virtually all foodstuffs contain at least trace amounts of fluoride, and all organisms are exposed to fluoride originating either from natural processes or human activity. Fluoridation of drinking water supplies however is not a major source of fluoride in the environment.

Fluorides are to be found everywhere in the environment their occurrence is as a result of:

- Natural processes – the erosion of fluoride-containing minerals and the rain cycle, and by emissions from volcanoes;
- Industrial processes - principally steel, glass, brick and ceramics manufacture, aluminium, copper, and nickel production, phosphate ore processing, phosphate fertilizer

- production and use, the use of fluoride-containing pesticides, and industrial and domestic coal burning; and finally,
- Fluoridation of drinking water supplies

Fluoride levels in surface waters, the air, and soil depend on the natural rock, geothermal and volcanic activity, and discharges and emissions resulting from human activity – the main sources of which are industrial - in particular phosphate ore production and use, and aluminium production [1]. The route of exposure and the ability of the species to absorb fluoride influence its uptake by organisms and plants. The environmental impact of fluorides has been well documented since at least 1937.

Recent reviews

More recent reviews of the environmental impact of water fluoridation include:

The World Health Organisation

The World Health Organisation has reviewed the literature [1-3] and identifies the principal sources of fluoride pollution as industries and mining. The World Health Organisation notes that in the absence of adequate emission control in such settings environmental pollution can be a problem. Such pollution has been a problem in the past in industrialised countries, and the World Health Organisation warns that unless proper environmental safeguards are adhered to, there is a danger of it occurring in developing countries with increasing industrialisation [3].

In areas not in the direct vicinity of emission sources, the mean concentrations of fluoride in



ambient air are generally less than 0.1 µg/m³. Levels may be slightly higher in urban than in rural locations; but, even in the vicinity of emission sources, the levels of airborne fluoride usually do not exceed 2–3 µg/m³. However, in some provinces of China where fluoride-rich coal is used as a source of fuel and for drying and curing food, reported indoor air concentrations of fluoride have reached 6 µg/m³ [1].

Fluoride pollution is recognised by the World Health Organisation primarily as an *industrial* hazard; the World Health Organisation does not consider the fluoridation of water supplies to improve dental health to be a potential source of fluoride pollution.

Tacoma-Pierce County Health Department, Washington, USA August 2002 [4]

Under Washington's State Environmental Protection Act (SEPA) the Tacoma-Pierce County Health Department commissioned an independent investigation of the potential environmental consequences of a proposal by the Health Department to fluoridate all water systems serving 5,000 or more people.

The investigation looked at the proposal in terms of its impact under the following 16 headings standardised by the State: Earth; Air; Water including surface, ground, and water runoff; Plants; Animals; Environmental Health; Land and Shoreline Use; Housing; Aesthetics; Light and Glare; Recreation; Historic and Cultural Preservation; Transportation, Public services; and, Utilities. The study provided detailed confirmation that *'fluoridation of the public drinking water will not negatively impact the environment'* [4].

Environment Agency and the Scotland and Northern Ireland forum for Environmental Research [5]

An environmental risk assessment conducted for the Environment Agency and the Scotland and Northern Ireland forum for Environmental Research comprehensively reviewed the aquatic toxicity of fluoride and proposed environmental quality standard (EQs) for fluoride [5]. In personal communication, one of the report's authors (Wendy Young 18 August 1999) said *'on the basis that water systems are fluoridated at 1mg l⁻¹, the theoretical maximum in wastewater effluent (before dilution) could potentially be 1mg l⁻¹ this is in line with EQS value for surface water.'*

(The fluoride content of seawater is fairly constant at levels between 1.2 – 1.4 mg/l which is higher than the theoretical maximum in wastewater effluent).

Osterman, McGill University Montreal, 1990 [6]

Focusing on the effects of fluoridation on aquatic environment, Osterman's investigation evaluated the impact of water fluoridation on the aquatic environment. He found that: *'fluoridated water loss during use, dilution of sewage by rain and groundwater infiltrate, fluoride removal during secondary sewage treatment, and diffusion dynamics at effluent outfall, combine to eliminate fluoridation related environmental effects.'* [6].

In the US, where well over 60% of water supplies are fluoridated, Osterman found the fluoride concentration in most rivers averaged 0.33ppm. A literature review by Osterman did not reveal any examples of municipal water fluoridation causing recommended environmental concentrations to be exceeded, although excesses occurred in several cases of severe industrial water pollution not related to water fluoridation.

Conclusion

As has been described in Section 6 of this report, the chemicals used for water fluoridation are manufactured as a co-product of the manufacture of phosphate fertilisers, and the raw material for that process is a natural resource (rocks excavated for their mineral content). Water fluoridation could therefore accurately be described as environmentally friendly since it ensures maximum utilisation of these natural resources, and reduces waste.

References

1. World Health Organisation (2002): *Environmental Health Criteria 227 FLUORIDES*. World Health Organisation. Geneva.
2. World Health Organisation, (1970): *Fluorides and human health*. Geneva: World Health Organisation Monograph Series No 59.
3. World Health Organisation Expert Committee on Oral Health Status and Fluoride Use, (1994): *Fluorides and Oral Health. WHO Technical Report Series No. 846*. Geneva: World Health Organisation.
4. Tacoma-Pierce County Health Department, (2002): *News Release: Fluoridation/SEPA Study*. Tacoma-Pierce County Health Department: Tacoma.
5. Dixon E, Sutton A, Young W, (2000): *Proposed Environmental Quality Standards for fluoride in water. WRc R&D Technical Report P99*. Bristol: Environment Agency.
6. Osterman JW, (1990): Evaluating the impact of municipal water fluoridation on the aquatic environment. *American Journal of Public Health*, 80: 1230-1235.